

1/4 Scan Mode Outdoor LED Display Screen P8 High Refresh Rate IP65 **Protective**

Basic Information

. Place of Origin: China (Mainland) Brand Name: **TOPLED**

CE FCC ROHS · Certification:

P8 Model Number:

• Minimum Order Quantity: Negotiation • Price: Negotiation

· Packaging Details: Fight case or Standard wooden box • Delivery Time: 10-15 working days after got deposit Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

• Supply Ability: 5000 Square Meter/Square Meters per



Product Specification

Usage: Outdoor Rental Full Color · Color: 768*768mm Cabinet Size:

Material: Die Casting Aluminum

• Module Size: 256*128mm Brightness: 6500nits • Fuction: Video/Images Scan Mode: 1/4scan

Highlight: outdoor rental led screen, led video wall rental



More Images





Product Description

P8 High Refresh 768x768 Die Casting Aluminum Outdoor Rental LED Display

Specification:

| l Pitch | l8mm |
|--|--|
| Density | 15625dots/sq.m |
| r Configuration | 1R1G1B |
| Package | SMD3535 |
| lay | Full Color |
| ule Size | 256mm x 128mm |
| ule Resolution | 32dots x 16dots |
| e Duty | 1/4 Scan |
| dard Cabinet Size | 768*768mm |
| net Weight | 25kg |
| Chip | Nationstar / Kinglight |
| er | DC 5V, AC110V-220V |
| ntness | ≥6500 cd/sqm |
| ring Distance | 8M |
| ving Angle | H: 140°; V:140° |
| esh Rate | >1920HZ, adjustable by software |
| er Input | AC110V/ 220V ±10%, 50HZ |
| Power Consumption | 800W/cabinet |
| Power Consumption | 300W/cabinet |
| perature | -40 ~+65 |
| F | >10,000 Hours |
| Span | >100,000 Hours |
| erproof Level | IP65 |
| rating Humidity | 10%~90% RH |
| trol Method | Synchronous, Asynchronous, 3G,WIFI,USB |
| trol PC | With DVI Graphic card |
| rating System | Win 98, Win2000, XP, Win7, Win8 |
| o Signal Mode | RF, S-Video, RGB, RGBHV, YUV, YC etc |
| ificate | CE, RoHS,ISO9001 |
| Span erproof Level rating Humidity trol Method trol PC rating System o Signal Mode | >100,000 Hours IP65 10%~90% RH Synchronous, Asynchronous, 3G,WIFI,USB With DVI Graphic card Win 98, Win2000, XP, Win7, Win8 RF, S-Video, RGB, RGBHV, YUV, YC |

Product Description:













1. Outdoor rental led Display

the high resolution led screen is known for displaying great quality picturtes and videos to a broader audience. Highly usable for outdoor advertising such as banks, stages ,promotion, exhibitions, stations, stadiums and other outdoor areas.

2. Standard Cabinet Dimensions

The ultra-lightweight cabinet made is alunimum alloy which gives it extra strength. The cabinet of LED display is designed with perfection,marking it really easy to install.

Also, the quick -lock feature requires no technical skills to install and uninstall.

3. High Quality Black Body with Square Module

The display features high quality black body and square module. The strong body prevents any demage and makes it reliable in any weather conditions. Rectangle module makes it ideal to use at any place.

4. Seamless Splice

The High-Quality Satge LED Screen can be installed within minutes ,without any special tools .You may configure the LED display as per your requirements and choice .Adjust the brightness ,gray scale and picture quality as per choice. Advanced adjustment options allow you to set up display as per the environment conditions and area of installation.

5. Better Protection

The display features a Front IP66 waterproof grade which protects the display from any demage .

A dedicated guard prevents the screen from any damage and environmental effects .

The screen will remain harmless in every condition and in every weather

6. High Gray Scale --Better Picture

The LED Screen is manufactured by using best quality material ,purchased from most reputed vendors . The final products feature supreme quality and offers best outputs. High refresh rate and 16bit gray scale ensures the picture quality remains seamless .

Project images:





Beijing Silk Road Enterprise Management Services Co.,LTD





andy@gmail.com



highbrightnessleddisplay.com

Room 402.Dongbao Building,No.19 Dongbao Road,Songjiang,Shanghai 201613,China