

# P31.25 Ultrathin Transparent LED Curtain Screen Extremely Strong Wind Load Capacity

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- Singheng CE RoHS UL Certifications P31.25 y: 1 Piece/Pieces USD+To be negotiated+square meter Plywood case About 16 days L/C, D/A, D/P, T/T, Western Union, MoneyGram 3000+square meter+per month

Guangdong, China (Mainland)



### **Product Specification**

- Usage:
- Tube Chip Color:
- Pixels:
- Screen Dimension:
- Cabinet Material:
- Best Viewing Distance:
- Input Voltage:
- Brightness:
- Highlight:


## 31.25mm Customized Aluminum >=35m AC110/220V

8500cd/

Outdoor

Full Color

led curtain wall display, transparent led curtain



Our Product Introduction

### P31.25 Ultra Light Ultra Thin Grille Screen Curtain Led Display Outdoor

### Product description

1. High performance and low power consumption. The real energy saving comes from: high-brightness, high-efficiency LED lights, high conversion efficiency power supplies.

2. Highly integrated. Built-in power supply and receiving card, each unit can work independently; power and signal are plugged in one line

IP67 high protection level. The concept of IP67 is soaking and waterproofing, that is, the overall immersion of the product.
Easy to install and easy to maintain. It is installed without steel structure and does not require air conditioning.

5. LED curtain screen is a kind of LED screen composed of light bars, also called LED light bar screen. Mainly used in outdoor walls, glass curtain walls, building tops and other fields.

6. Also known as LED light bar screen, LED grid screen, LED glass curtain wall display, LED strip screen, LED shaped screen.

7. Light weight and low wind load. The light weight is due to the screen grid, which makes the LED display transparent, so its wind load capacity is extremely strong.

#### Technical parameter of P31.25 Outdoor Curtain LED

OUTDOOR FULL-COLOR DISPLAY TECHNICAL PARAMETER	
Item	P31.25
Pixel Pitch	31.25 mm
Pixel Density	1024dot/sqm
Pixel Configuration	1R1G1B DIP346
LED brand	Taiwai EPISTAR
Cabinet type	transparent
Weight	18KG/sqm
Cabinet Material	aluminum
Viewing Distance	≥32 m
Viewing Angle (Horizontal)	120°
Viewing Angle (Vertical)	60°
Refresh Rate	1920Hz
Grey Scale	65536
Brightness	≥8000cd/m2
Max Power Consumption	290w/sqm
Average Power Consumption	110 w/sqm
Drive Mode	Static
Lifespan	≥10,0000 h
Waterproof Grade	IP67
Input Voltage	AC105-235V 50-60HZ
Celsius	-40 -40
humidity	10—85%RH

#### FAQ

Q1: What pixel pitch should I choose on my display?

A: Using the PX screen, it is determined mainly by the viewing distance, the size of the display screen, the

desired effect and the customer budget. It is generally believed that P5 is suitable for watching outside 5

meters, P10 is suitable for watching outside 10 meters, and P16 is suitable for watching outside 16 meters, and the other is the same. Of course, this data is not very accurate, and the customer just can refer to it. It also depends on the size of the screen, generally it is considered that more than 100 thousand pixels for a full color display then have a standard effect.

Q2: To order a display ,What kind of information do I have to offer you?

A: You should provide width/height of the display, the main use, the viewing distance, the scene photos, special requirements, then I can provide you with a detailed list of quotations. Sometimes you should also provide information such as display orientation, geographical location, local climate, and so on.


Q3: Is it OK to print my logo on your product? A: Yes,We support OEM and ODM services .

Q4: How long is the transportation time? A: Shipping: 20-30 days,Airlift: within 3-7 days.

Q5: What about the warranty? A: Three year warranty

Q6: What about the lead time? A: Orders less than 100 square meter display, lead time is 13-15 days.

#### **Product Picture**



Beijing Silk Road Enterprise Management Services Co.,LTD

S 86188888888888 S andy@gmail.com

highbrightnessleddisplay.com

Room 402.Dongbao Building, No.19 Dongbao Road, Songjiang, Shanghai 201613, China