

Small Pixel Pitch P2.5 LED Display Module Indoor 1/32 Scan Die - Casting **Cabinet**

Basic Information

Model Number:

. Place of Origin: China (Mainland)

Brand Name: CE FCC ROHS · Certification:

• Minimum Order Quantity: Negotiation • Price: Negotiation

 Packaging Details: Fight case or Standard wooden box • Delivery Time: 10-15 working days after got deposit Payment Terms: L/C, D/A, D/P, T/T, Western Union,

TOPLED

P2.5

MoneyGram

• Supply Ability: 5000 Square Meter/Square Meters per



Product Specification

Name: Small Pixel Pitch SMD2121 1/32Scan

160*160mm P2.5 Indoor LED Display

Module

Indoor Usage: Full Color Color: . Module Resolution: 64x64dots 1000cd . Brightness: 1/32 Scan Scan:

• Highlight: led screen module, waterproof led module



More Images



Product Description

Indoor Small Pixel Pitch P2.5 LED Display Module 64*64 1/32 Scan of die-casting cabinet

Specification:

Pixel Pitch	2.5mm
Pixel Density	160000dots/sq.m
Color Configuration	1R1G1B
LED Package	SMD2121
Display	Full Color
Module Size	160mm x 160mm
Module Resolution	64dots x 64dots
Drive Duty	1/32 Scan
Power	DC 5V, AC110V-220V
Brightness	≥1000 cd/sqm
Refresh Rate	>1920HZ, adjustable by software
Power Input	AC110V/ 220V
Temperature	-40 ~+65
MTBF	>10,000 Hours
Life Span	>100,000 Hours
Certificate	CE, RoHS,ISO9001

Product Description:

1. High refresh rate for better picture quality

It uses over 1500Hz refresh rate that produces great quality,flicker free pictures without scan lines. Delicate pictures can be delivered with great accuracy.


2. Silence Operation -- Low Power Consumption

Outdoor LED Screen is known for its silence operation and low power consumption .It is also known for fast heat dissipation which will save more energy .Cut on the electricity expenses and help environment with this highly advanced advertising display.

3. High Gray Scale--Better Picture

Outdoor LED Screen is manufactured by using best quality material ,purchased from most reputed vendors . The final products feature supreme quality and offers best outputs. HIgh refresh rate and gray scale ensures the picture quality remains seamless

images:



8618888888888

andy@gmail.com

highbrightnessleddisplay.com

Room 402.Dongbao Building,No.19 Dongbao Road,Songjiang,Shanghai 201613,China